


SAMSUNG

Wind-Free™ Avant



**Intelligent cooling.
No cold drafts.**

samsung.com/wind-free



Introducing the Samsung Wind-Free™ Avant

The Samsung Wind-Free™ range keeps you comfortably cool without any cold drafts. It provides intelligent home climate comfort thanks to smart controls that adapt to your personal preferences, automatically maintaining optimal conditions.



Wind-Free™ Cooling

Wind-Free™ technology enhances your indoor comfort by using thousands of micro-holes to disperse fresh air uniformly without any unpleasant blasts of cold wind. In Wind-Free mode, the air is cooled and then dispersed evenly throughout the environment* that provides you total well-being day and night.



Smart Operation

AI Auto Comfort¹ introduces you to an intelligent way of living. It analyses your room conditions and usage patterns², and then automatically adjusts the temperature, the fan speed and the cooling on and off selecting the cooling mode or scheduling its operation is just one touch away.



Energy Efficiency

Samsung's compressor with Digital Inverter Boost technology helps you to save on energy consumption. Its strong neodymium magnets and murfer increase efficiency, cooling quickly without wasting energy. While the compressor is running, it also optimises power usage. When cooling, the compressor optimises power usage which allows to minimise energy consumption.

* ASHRAE (American Society of Heating, Refrigerating, and Air-Conditioning Engineers) defines "Still Air" as air currents at speeds below 0.15m/s which lack the presence of cold drafts.
* A Wi-Fi connection and Samsung SmartThings app are required. A Wi-Fi connection and Samsung SmartThings application account are required.



Step 1

The front panel opens, and Fast Cooling mode cools the room quickly from corner to corner.



Step 2

The set temperature is reached in Fast Cooling mode, and the front panel closes.



Step 3

Wind-Free™ mode spreads fresh air uniformly through thousands of micro-holes.

Unique Samsung Solution



(R32)

Compact Outdoor Unit

Available capacities: 2.5-6.5 kW



Wind-Free™ Indoor Unit

Thousands of micro-holes disperse fresh air uniformly



Wi-Fi Control

With Bixby voice control



AI Auto Comfort

AI Auto Comfort¹ introduces you to an intelligent way of living. To make life simpler and more efficient, it analyses your room conditions and usage patterns². Based on your preference and the temperatures outside, it automatically adjusts the temperature to optimise the room's climate conditions, guaranteeing total comfort at all times.

* AI = Artificial Intelligence. A Wi-Fi connection and Samsung SmartThings application account are required. * Spares user data, preferences and usage patterns to suggest the most useful options.



Wi-Fi Control

Temperatures in your home can be managed remotely using the SmartThings App³. Turning it on and off, selecting the cooling mode, scheduling its operation or monitoring the power consumption is just one touch away. The Bixby 2.0 Artificial Intelligence (AI) system² analyses and predicts your needs so it can suggest the best settings for inside your home.

¹ Available on Android and iOS devices. A Wi-Fi connection and Samsung SmartThings app are required. * Spares user data, preferences and usage patterns to suggest the most useful options.
² Available on Android and iOS devices. A Wi-Fi connection and Samsung SmartThings app are required. * Spares user data, preferences and usage patterns to suggest the most useful options.
³ Portuguese is scheduled to be supported by the end of 2019.




SmartThings

Samsung SmartThings adds smartness to your home. Connect, automate and manage all your Samsung and SmartThings-compatible appliances and electronics with a single, easy-to-use App³. Getting started is easy with a Samsung Account. Once you have created your SmartThings profile, the App automatically finds compatible devices⁴.

¹ Available on Android and iOS devices. A Wi-Fi connection and Samsung SmartThings app are required. * Spares user data, preferences and usage patterns to suggest the most useful options.
² Available on Android and iOS devices. A Wi-Fi connection and Samsung SmartThings app are required. * Spares user data, preferences and usage patterns to suggest the most useful options.
³ Portuguese is scheduled to be supported by the end of 2019.

Specifications

Wind-Free™ Avant



Indoor Unit			AR09TXEAAWKNEU	AR12TXEAAWKNEU	AR18TXEAAWKNEU	AR24TXEAAWKNEU
Outdoor Unit			AR09TXEAAWKXEU	AR12TXEAAWKXEU	AR18TXEAAWKXEU	AR24TXEAAWKXEU
Capacity						
Capacity	Cooling (Nominal)	kW	2.5	3.5	5.0	6.5
	Cooling (Min–Max)	kW	1.0–3.4	1.0–4.0	1.6–6.7	1.4–7.6
	Heating @ +7 °C	kW	3.2	4.0	6.0	7.4
	Heating (Min–Max)	kW	0.72–5.00	0.74–5.50	1.30–8.00	1.20–9.70
	Heating @ -5 °C	kW	3.62	3.59	5.07	6.04
	Heating @ -10 °C	kW	3.37	3.33	4.70	5.65
	Heating @ -15 °C	kW	3.12	3.07	4.63	5.60
Performance						
Energy Efficiency Cooling	SEER¹	W/W	7.9/	7.3/	6.8/	6.4/
	Power Consumption	kWh/a	111	168	257	355
	Pdesignc	kW	2.5	3.5	5.0	6.5
	EER	W/W	4.39	3.76	3.60	3.33
Energy Efficiency Heating	SCOP¹	W/W	4.6/	4.6/	4.1/	4.0/
	Power Consumption	kWh/a	670	730	1,298	1,435
	Pdesignh (average)	kW	2.2	2.4	3.8	4.1
	COP¹	W/W	4.21	3.74	3.53	3.15
Moisture Removal		l/h	1.0	1.5	2.0	2.5
Maximum Airflow (Cooling)	Indoor Unit	m³/min	9.5	10.5	15.7	17.6
	Outdoor Unit	m³/min	45.0	45.0	50.0	50.0
Sound Power	Indoor Unit (Cooling)	dB(A)	57	57	58	62
	Outdoor Unit (Cooling)	dB(A)	59	62	65	68
Sound Pressure	Indoor Unit High/Silent Mode	dB(A)	38/16	40/16	41/25	45/26
	Outdoor Unit High	dB(A)	45	46	51	54
Operating Temperature Range	Cooling	°C	-10–46	-10–46	-10–46	-10–46
	Heating	°C	-15–24	-15–24	-15–24	-15–24
Electrical Data						
Power Source		Φ, V, Hz	1Φ, 220–240 V, 50 Hz	1Φ, 220–240 V, 50 Hz	1Φ, 220–240 V, 50 Hz	1Φ, 220–240 V, 50 Hz
Compressor Type	Outdoor Unit	Type	BLDC Rotary	BLDC Rotary	BLDC Rotary	BLDC Rotary
Power Consumption	Cooling	W	570	930	1,390	1,950
	Heating	W	760	1,070	1,700	2,350
Operating Current	Cooling	A	3.4	4.5	6.4	8.8
	Heating	A	3.7	5.1	7.8	10.5
Dimensions						
Net Dimensions (W x H x D)	Indoor Unit	mm	889 x 299 x 215	889 x 299 x 215	1,055 x 299 x 215	1,055 x 299 x 215
	Outdoor Unit	mm	790 x 548 x 285	790 x 548 x 285	880 x 638 x 310	880 x 638 x 310
Net Weight	Indoor Unit	kg	9.9	9.9	12.2	12.5
	Outdoor Unit	kg	29.9	29.9	39.7	43.7
Refrigerant						
Refrigerant	Type		R32 (contains fluorinated greenhouse gases. GWP = 675)			
	Charging (for 5 m)	kg	0.94	0.94	1.30	1.30
	Charging Ton Equivalent CO₂	tCO₂e	0.63	0.63	0.88	0.88
	Additional Refrigerant Charging	g/m	15	15	15	15
Piping Connections	Liquid Pipe	ø, mm (inch)	6.35 (1/4)	6.35 (1/4)	6.35 (1/4)	6.35 (1/4)
	Gas Pipe	ø, mm (inch)	9.52 (3/8)	9.52 (3/8)	9.52 (3/8)	9.20 (3/8)
Piping Length	Min/Max (ODU to IDU)	m	3/15	3/15	3/30	3/30
Piping Height	Max	m	8	8	15	15
Piping Connections	Drain Pipe	ø, mm	ø16.3, 550 mm	ø16.3, 550 mm	ø16.3, 550 mm	ø16.3, 550 mm

¹ Energy labels as shown are according to EU No 626/2011 (LOT10) label classification 2019, on a scale from D to A+++.

